

UNITED AFRICAN LABORATORY LTD

Registered Office
9 Tebun Bisiriyu Str,
Shasha, Lagos State.
07063877874
08067757480

Mailing Address:
2 Modupeola Street,
Onipetesi Estate,
Mangoro, Ikeja,
08033233079

Summary of Product Characteristics

NAME OF THE MEDICINAL PRODUCT

KRISPINE HB12 ULTRA CAPLETS

2. QUALITATIVE AND QUANTITATIVE: Haemoglobin 500mg

PHARMACEUTICAL FORM: Caplets

CLINICAL PARTICULARS: Therapeutic indications of HB12 Ultra Caplet is indicated as a nutritional supplement for; patients with fatty liver, poor memory function, menopausal syndrome, cardiovascular disease, low immunity, pregnancy, anemia, high level of cholesterol, diabetes, night blindness, fertility problems, influenza, vegetarian diet and malabsorption syndromes. This product is intended for use in children and adult.

3. Posology and method of administration: One Tablet daily. (Adults)

4. Contraindications: Hypersensitivity to any of the active ingredients or excipients.

5. Special warnings and precautions: Before taking this product, tell your doctor or pharmacist if you are allergic to any of its ingredients; or if you have any other allergies. This product may contain inactive ingredients, which can cause allergic reactions or other problems. Talk to your pharmacist for more details. Before taking this medication, tell your doctor or pharmacist your medical history, especially of: use/abuse of alcohol, liver problems, stomach/intestinal problems (such as ulcer, colitis). If your brand of multivitamin also contains folic acid, be sure to tell your doctor or pharmacist if you have vitamin B12 deficiency (pernicious anemia) before taking it. Folic acid may affect certain lab tests for vitamin B12 deficiency without treating this anemia. Untreated vitamin B12 deficiency may result in serious nerve problems (such as peripheral neuropathy). Consult your doctor or pharmacist for details.

UNITED AFRICAN LABORATORY LTD

Registered Office
9 Tebun Bisiriyu Str,
Shasha, Lagos State.
07063877874
08067757480

Mailing Address:
2 Modupeola Street,
Onipetesi Estate,
Mangoro, Ikeja,
08033233079

5.1 Interaction with other medicinal products and other forms of interaction with Antibiotics: If you use other drugs or over the counter products at the same time, it reduces the effect of. This may increase your risk for side-effects or cause your drug not to work properly. Tell your doctor about all the drugs, vitamins, and herbal supplements you are using, so that you doctor can help you prevent or manage drug interactions. HB12 Ultra Caplet may interact with the following drugs and products:

- Arsenic trioxide
- Chloramphenicol
- Folic acid
- Furosemide
- Gabapentin
- Hydrochlorothiazide
- Levothyroxine
- Lisinopril

5.2 Pregnancy and lactation: Pregnancy: No adverse effects have been reported with ingestion of normal daily requirements during pregnancy

5.3 Lactation: Vitamin B12 has been found distributed into the milk of nursing women in concentrations similar to the maternal blood vitamin B12 concentrations. No adverse effects have been reported to date with intake of normal required doses during lactation.

6. Effects on ability to drive and use machines: No negative influence on the ability to drive and use machines.

Undesirable effects: Administration of HB12 Ultra Caplet may cause Swelling, Rapid weight gain, Diarrhea, Itching or mild rash.

8. Overdose Symptoms: Headache, Nausea and vomiting, Diarrhea, Fatigue or weakness, Tingling sensation in hands and feet.

9. Treatment of toxicity following recent ingestion: If a person suspects HB12 Ultra Caplet overdose, they can contact their local poison control Centre for advice, unless a poison control representative or a healthcare professional provides alternative advice, the person should drink a glass of milk.

UNITED AFRICAN LABORATORY LTD

Registered Office
9 Tebun Bisiriyu Str,
Shasha, Lagos State.
07063877874
08067757480

Mailing Address:
2 Modupeola Street,
Onipetesi Estate,
Mangoro, Ikeja,
08033233079

Pharmacological properties: Composition HB12 Ultra Caplet has Ferrous Fumarate, Folic acid, Vitamin C and Vitamin B12 as its active ingredients. It is effective for the treatment, prevention and control of Scurvy, Anaemia, Wound healing, Vitamin B12 deficiency, Tissue repair and some others.

10.1 Volume of distribution: Cobalamin is distributed to tissues and stored mainly in the liver and bone marrow.

10.2 . Preclinical safety data: No data of relevance which is additional to that already included in other sections of the SmPC.

11. PHARMACEUTICAL PARTICULARS

11.1. List of excipients: Hemoglobin, Amino acid Chelate Iron, vitamin A, vitamin B1, vitamin B2, vitamin B3, vitamin B5, vitamin B6, vitamin B12, vitamin D3, vitamin E, zinc gluconate, calcium gluconate, selenium, propyl paraben, pvp k30, aerosil, magnesium stearate, water.

Marketing Authorisation Holder

United African Laboratories Ltd.
9 Tebun Bisiriyu Street, Shasha Lagos State.